

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Stellite 694 powder

Revision date: 26.03.2024

Product code: DWS-002

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Stellite 694 powder

Further trade names

KSPC1007-1

UFI:

VNVV-G012-000D-PTA0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Welding powder. For industrial purposes only.

Uses advised against

The product is only to be used for the intended application.

1.3. Details of the supplier of the safety data sheet

| | |
|-----------------|---|
| Company name: | Deloro Wear Solutions GmbH |
| Street: | Zur Bergpflege 51 - 53 |
| Place: | D-56070 Koblenz |
| Telephone: | +49 (261) 80880 |
| E-mail: | wearsolutions@deloro.com |
| Contact person: | Frau Melanie Arens |
| E-mail: | wearsolutions@deloro.com |
| Internet: | http://www.deloro.com |

1.4. Emergency telephone number:

Poison Control Center (Mayence, GER): +49 (0)6131 - 19240 (24h) This safety data sheet is an English translation of the EU safety data sheet and is not suitable for the distribution in a specific country.

Further Information

according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute Tox. 4; H302
Eye Irrit. 2; H319
Resp. Sens. 1; H334
Skin Sens. 1; H317
Muta. 2; H341
Carc. 1B; H350
Repr. 1B; H360F
STOT RE 1; H372
Aquatic Chronic 4; H413

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

cobalt
nickel powder

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Stellite 694 powder

Revision date: 26.03.2024

Product code: DWS-002

Page 2 of 11

Pictograms:**Hazard statements**

| | |
|-------|--|
| H302 | Harmful if swallowed. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H341 | Suspected of causing genetic defects. |
| H350 | May cause cancer. |
| H360F | May damage fertility. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H413 | May cause long lasting harmful effects to aquatic life. |

Precautionary statements

| | |
|----------------|--|
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
| P280 | Wear protective gloves/protective clothing and eye protection/face protection. |
| P301+P312 | IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. |
| P302+P352 | IF ON SKIN: Wash with plenty of water. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P501 | Dispose of contents/container to an appropriate recycling or disposal facility. |

Special labelling of certain mixtures

Restricted to professional users.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Stellite 694 powder

Revision date: 26.03.2024

Product code: DWS-002

Page 3 of 11

Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|-----------|---|--------------|----------|-----------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 7440-47-3 | Chromium | | | 25 - 50 % |
| | 231-157-5 | | | |
| 7440-48-4 | cobalt | | | 25 - 50 % |
| | 231-158-0 | 027-001-00-9 | | |
| | Carc. 1B, Muta. 2, Repr. 1B, Acute Tox. 4, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, Aquatic Chronic 4; H350 H341 H360F H302 H319 H334 H317 H413 | | | |
| 7440-02-0 | nickel powder | | | 5 - 10 % |
| | 231-111-4 | 028-002-01-4 | | |
| | Carc. 2, Skin Sens. 1, STOT RE 1, Aquatic Chronic 3; H351 H317 H372 H412 | | | |
| 7439-96-5 | manganese | | | 0,1 - 1 % |
| | 231-105-1 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-----------|--|---------------|-----------|
| | Specific Conc. Limits, M-factors and ATE | | |
| 7440-48-4 | 231-158-0 | cobalt | 25 - 50 % |
| | oral: LD50 = 550 mg/kg | | |

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

In case of persistent symptoms, consult a doctor/physician. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Avoid dust generation. First aider: Pay attention to self-protection!

After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. Where appropriate artificial ventilation. Seek medical help.

After contact with skin

Rinse skin with water. Change contaminated clothing. Consult a doctor if symptoms persist.

The melted product can cause severe burns. After skin contact with melted product: 1. quickly cool with water (not ice), 2. do not pull off melted product from skin, 3. burns caused by the melted product must be treated medically.

After contact with eyes

In case of contact with eyes, rinse immediately (and under protection of the uninjured eye) with plenty of flowing water for 10 minutes, holding eyelids wide apart. Remove contact lenses. Consult an ophthalmologist.

The melted product can cause severe burns. Rinse immediately carefully and thoroughly with eye-bath or water. Call a physician immediately.

After ingestion

Rinse mouth immediately and drink plenty of water. Seek medical advice. Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing genetic defects. May cause cancer.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Stellite 694 powder

Revision date: 26.03.2024

Product code: DWS-002

Page 4 of 11

May damage fertility. Causes damage to organs through prolonged or repeated exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Respiratory or skin sensitisation.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Chromium: Carbon dioxide (CO₂).

5.2. Special hazards arising from the substance or mixture

The product is non-flammable. Thermal decomposition can lead to the escape of irritating gases and vapours.

In case of fire may be liberated: Carbon oxides

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Wear personal protection equipment. Do not inhale explosion and combustion gases.

Additional information

Contaminated fire-fighting water must be collected separately. Dispose of waste according to applicable legislation.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Avoid dust generation. Provide adequate ventilation. Avoid contact with skin and eyes. Wear personal protection equipment. Use appropriate respiratory protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up**For containment**

Avoid generation of dust.

For cleaning up

Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Personal protection equipment: see section 8

Handling and storage: see section 7

For waste disposal see section 13.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

When using do not eat, drink or smoke. Use personal protection equipment. Avoid contact with eyes and skin.

Take off contaminated clothing and wash it before reuse. Do not breathe dust.

Advice on protection against fire and explosion

Contaminated fire-fighting water must be collected separately.

Advice on general occupational hygiene

Wash hands before breaks and after work. Do not eat, drink, smoke or sneeze at the workplace. Keep away from food, drink and animal feedingstuffs.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Stellite 694 powder

Revision date: 26.03.2024

Product code: DWS-002

Page 5 of 11

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place.

Hints on joint storage

Store separately from foodstuff.

7.3. Specific end use(s)

Welding powder. For industrial purposes only.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|-----------|----------------------------------|-----|-------------------|---------------------|---------------|--------|
| 7440-47-3 | Chromium metal | - | 2 | | TWA (8 h) | |
| 7440-48-4 | Cobalt | - | 0.02 | | TWA (8 h) | |
| 7439-96-5 | Manganese (Respirable Fraction) | - | 0.05 | | TWA (8 h) | |
| 7440-02-0 | Nickel | - | 0.5 | | TWA (8 h) | |
| 7440-21-3 | Silicon Si, total inhalable dust | - | 10 | | TWA (8 h) | |
| 7440-33-7 | Tungsten metal | - | 5 | | TWA (8 h) | |
| | | - | 10 | | STEL (15 min) | |

Biological limit values

| CAS No | Substance | Parameter | Value | Test material | Sampling time |
|-----------|-----------|----------------|---------|---------------|--|
| 7440-47-3 | Chromium | Total chromium | 25 µg/L | Urine | End of shift at end of workweek |
| 7440-48-4 | Cobalt | Cobalt | 1 µg/L | Blood | End of shift at end of workweek |
| 7440-02-0 | Nickel | Ni | 3 µg/L | Urine | After several consecutive working shifts |

8.2. Exposure controls



Appropriate engineering controls

Ensure adequate ventilation. In case of application in interior spaces proper ventilation/exhaustion must be provided.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly fitting safety glasses with side shields.

Hand protection

Tested protective gloves are to be worn: For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The glove material has to be impermeable and resistant to the product / the substance / the mixture. When selecting the glove material, observe breakthrough times, permeation rates and degradation.
Suitable material: NBR (Nitrile rubber).

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Stellite 694 powder

Revision date: 26.03.2024

Product code: DWS-002

Page 6 of 11

Coating thickness: 0,11 mm
penetration time (maximum wearing period): 480 min

Skin protection

Full cover clothing covering arms and legs.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Use suitable breathing apparatus.

Full-/half-/quarter-face masks (EN 136/140), P2, P3, FFP2, FFP3

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | | |
|---|----------------|------------------------|
| Physical state: | solid (Powder) | |
| Colour: | metallic | |
| Odour: | odourless | |
| Melting point/freezing point: | | 1285-1395 °C |
| Boiling point or initial boiling point and boiling range: | | no data available |
| Flammability: | | no data available |
| Lower explosion limits: | | no data available |
| Upper explosion limits: | | no data available |
| Flash point: | | no data available |
| Auto-ignition temperature: | | no data available |
| Decomposition temperature: | | no data available |
| pH-Value: | | no data available |
| Viscosity / kinematic: | | no data available |
| Water solubility: | | insoluble |
| Dissolution rate: | | no data available |
| Partition coefficient n-octanol/water: | | no data available |
| Dispersion stability: | | no data available |
| Vapour pressure: | | no data available |
| Density (at 20 °C): | | 8,44 g/cm ³ |
| Relative density: | | no data available |
| Bulk density: | | no data available |
| Relative vapour density: | | no data available |
| Particle characteristics: | | no data available |

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

not explosive.

Self-ignition temperature

Solid:

no data available

Gas:

no data available

Oxidizing properties

Not oxidising.

Other safety characteristics

Sublimation point:

no data available

Softening point:

no data available

Pour point:

no data available

Viscosity / dynamic:

no data available

Further Information

no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Stellite 694 powder

Revision date: 26.03.2024

Product code: DWS-002

Page 7 of 11

SECTION 10: Stability and reactivity**10.1. Reactivity**

No dangerous reactivity under regular conditions.

10.2. Chemical stability

The product is stable when stored and handled appropriately.

10.3. Possibility of hazardous reactions

No dangerous reactions to be expected if used properly.

10.4. Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5. Incompatible materials

Oxidizing agents, strong. Acids.

10.6. Hazardous decomposition products

When used properly no hazardous products of decomposition are expected. Thermal decomposition can lead to the escape of irritating gases and vapours.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Harmful if swallowed.

ATEmix calculated

ATE (oral) 1000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | |
|-----------|----------------|---------------|---------|--------------------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 7440-48-4 | cobalt | | | | |
| | oral | LD50 mg/kg | 550 | supplier statement | |

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (cobalt)

May cause an allergic skin reaction. (cobalt; nickel powder)

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing genetic defects. (cobalt)

May cause cancer. (cobalt)

May damage fertility. (cobalt)

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (nickel powder)

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards**Endocrine disrupting properties**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Stellite 694 powder

Revision date: 26.03.2024

Product code: DWS-002

Page 8 of 11

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information**12.1. Toxicity**

May cause long lasting harmful effects to aquatic life.

12.2. Persistence and degradability

No further data available.

12.3. Bioaccumulative potential

No further data available.

12.4. Mobility in soil

No further data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process. Dispose of waste according to applicable legislation.

Contaminated packaging

Dispose of waste according to applicable legislation.

SECTION 14: Transport information**Land transport (ADR/RID)**

| | |
|---|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Inland waterways transport (ADN)

| | |
|---|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Marine transport (IMDG)

| | |
|---|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Air transport (ICAO-TI/IATA-DGR)

| | |
|---|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Stellite 694 powder

Revision date: 26.03.2024

Product code: DWS-002

Page 9 of 11

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No special precautions known.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 65, Entry 75

Information according to Directive
2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D):

3 - highly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1,16.

Version 1,00 - 10.01.2024 - first creation

Version 1,01 - 26.03.2024 - Adjustments in sections 1

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Stellite 694 powder

Revision date: 26.03.2024

Product code: DWS-002

Page 10 of 11

Abbreviations and acronyms

Acute Tox: Acute toxicity
Eye Irrit: Eye irritation
Resp. Sens: Respiratory sensitisation
Skin Sens: Skin sensitisation
Muta: Germ cell mutagenicity
Carc: Carcinogenicity
Repr: Reproductive toxicity
STOT RE: Specific target organ toxicity - repeated exposure
Aquatic Chronic: Chronic aquatic hazard
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
BImSchV (Fed.Imm.Prot.Act): Directive on the Implementation of the Federal Immission Protection Act
CAS: Chemical Abstracts Service
DIN: Norm of the Deutsche Institut für Normung (German Institute for Standardization)
EC: Effective Concentration
EG: European Community (Europäische Gemeinschaft)
EN: European Norm
IATA: International Air Transport Association
IBC Code: International Code for the Construction and Equipment of ships carrying Dangerous Chemicals in Bulk
ICAO: International Civil Aviation Organization
IMDG: International Maritime Code for Dangerous Goods
ISO: Norm of the International Standards Organization
CLP: Classification, Labeling, Packaging
IUCLID: International Uniform Chemical Information Database
LC: Lethal concentration
LD: Lethal dose
log Kow: Octanol/water partition coefficient
MARPOL: Maritime Pollution Convention = Convention for the Prevention of Maritime Pollution from Ships
OECD: Organisation for Economic Co-operation and Development
PBT: Persistent, bio-cumulative, toxic
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail
TRGS: Technische Regeln für Gefahrstoffe
UN: United Nations
VOC: Volatile Organic Compounds
vPvB: very persistent and very bio-cumulative
VwVwS: Administrative Regulation for Water Pollutants
WGK: German Water Hazard Class
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
DNEL: Derived No Effect Level
PNEC: Predicted No Effect Concentration
TLV: Threshold Limiting Value
STOT: Specific Target Organ Toxicity

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Stellite 694 powder

Revision date: 26.03.2024

Product code: DWS-002

Page 11 of 11

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Acute Tox. 4; H302 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |
| Resp. Sens. 1; H334 | Calculation method |
| Skin Sens. 1; H317 | Calculation method |
| Muta. 2; H341 | Calculation method |
| Carc. 1B; H350 | Calculation method |
| Repr. 1B; H360F | Calculation method |
| STOT RE 1; H372 | Calculation method |
| Aquatic Chronic 4; H413 | Calculation method |

Relevant H and EUH statements (number and full text)

| | |
|-------|--|
| H302 | Harmful if swallowed. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H341 | Suspected of causing genetic defects. |
| H350 | May cause cancer. |
| H351 | Suspected of causing cancer. |
| H360F | May damage fertility. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H412 | Harmful to aquatic life with long lasting effects. |
| H413 | May cause long lasting harmful effects to aquatic life. |

Further Information

The information given in this safety data sheet is to describe the product's safety regulations. It is not for guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by:

assesio AG, Ottostraße 1, 63741, Aschaffenburg, Germany

Phone: +49 (0)6021 - 1 50 86-0, Fax: +49 (0)6021 - 1 50 86-77, E-Mail: eu-sds@assesio.eu, www.assesio.eu

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)